

COSTCO WHOLESALE COMPLIANCE, QUALITY and PERFORMANCE TEST PROTOCOL SL-2307 SOFTLINES APPAREL

IDFL #: 20-305090

Date: 27-Mar-2020 Final: N/A

EVALUATION REPORT - Market: Canada

	DOWN AND FEATHER	TESTING				
Test Property	Test Method	Based on expected	Down label:	80%	Results	Rating
		Down Cluster	Min	60.0%	83.2%	Pass
		Down Fibre			3.2%	
		Feather Fibre			2.6%	
		Total Fibre	Max	36.0%	5.8%	Pass
		Waterfowl Feathers ≤ 60 mm	Max	40.0%	10.3%	Pass
Content Analysis	IDFB 3	Waterfowl Feathers > 60 mm	Max	20.0%	0.0%	Pass
		Broken / Damaged Feathers			0.1%	
		Quill			0.2%	
		Landfowl			0.2%	
		Residue			0.2%	
		Landfowl and Residue	Max	5.0%	0.4%	Pass
		TOTAL			100.0%	
		Goose Down			0%	
Species Identification	IDFB 12	Duck Down			100%	
		Goose Feathers			0%	
		Duck Feathers			100%	
		TOTAL GOOSE	Claim: DUCK	Min 90%	0%	Pass
		TOTAL DUCK		Duck	100%	1 435
Color White	IDFB 16	Claim:	Max Dark	1.0%	0.31%	Pass
	.2.2.10	White	max Ban		0.0170	
Fill Power	IDFB 10B	(in ³ / 30g)	Max -5% of	700	700	Pass
Turbidity	IDFB 11	(Others, JP, TW, KOR, AUS)	Min	500	1000	Pass
Tarbiaity				000	1000	1 435
Oxygen Number	IDFB 7	(Others, TW, KOR, AUS)	Min	4.8	1.6	Pass
Penetration	IDFL 20-1 (Fabric)	Poforo Loundaring	Min	1	N/A	N/A
resistance of	IDFL 20-2 (Bedding)	Before Laundering	IVIIII	4	IN/A	IN/A
cloth-Tumbling	IDFL 20-3 (Garments) IDFL 20-4 (Channeled Fabric)	After 1x Laundering	Min	4	N/A	N/A
method						
Net Fill Weight	IDFB 17	Expected Fill Weight (g) N/A	Min	N/A	N/A	N/A

IDFL Labeling Suggestion for Canadian Market:

Provincial Label: Duck Down Federal Label: Duck Down OR: 80% duck down, 20% duck feathers

Comments:

Approved by

IDFL LABORATORY AND INSTITUTE Certified Laboratory: IDFB • EDFA

IDFL USA 1455 South 1100 East Salt Lake City, UT 84105 USA Tel: +1 801 467 7611 info@idfl.com

IDFL EUROPE Zürcherstrasse 282 8500 Frauenfeld SWITZERLAND Tel: +41 52 765 1574 europe@idfl.com

Associations: AATCC • ADFC • ASTM • CFDIA • DAC • EDFA • IABFLO • TFEA

IDFL CHINA Tonghui Mid-Road 688, Jinlu Yinzuo Building 1 Floor 5 Hangzhou, Zhejiang 311208 CHINA Tel: +86 571 8273 6561 china@idfl.com

www.idfl.com

IDFL TAIWAN 3F/4F., No. 163, Sec. 2, Wenhua Rd. Banqiao, New Taipei City 22047 TAIWAN Tel: +886 2 2259 1178 taiwan@idfl.com



Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR)

IDFL # 20-305090

Zhejiang Samsung Down Co., Ltd Fri 27 March 2020

Michael Mao Zhejiang Samsung Down Cc No.288, Xiaoshao East Road, Xintang Street, Xiaoshan District, Hangzhou, Zhejiang 311201 China	., Ltd		ael@samsungdown.com rel@samsungdown.com Normal (8-10 Days) Mon 16 March 2020 Fri 27 March 2020 Fri 27 March 2020
Sample Type: Shipped By: Label: Sample Identification:	Pillow SF 1075057820963 Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR), BRAND NAME:RUDSAK STYLE NO:COSTCO 4120500/4120501/4120502/4120503		
	2v - 3 o to ?	20-202020 443ibs 80.648th XAS. (12:30 40 Attach) 70 FP	

¹ CNAS Accredited

² CMA Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.



IDFL SALT LAKE 1455 South 1100 East Salt Lake City, UT 84105 USA +1 801 467 7611 info@idfl.com IDFL EUROPE AG Zürcherstrasse 282 CH-8500 Frauenfeld Switzerland +41 52 765 1574 europe@idfl.com IDFL CHINA Tonghui Mid-Road 688, Xiaoshan Hangzhou Zhejiang 311200 China +86 571 8273 6561 china@idfl.com IDFL TAIPEI 2F., No. 163 Sec. 2, Wenhua Rd. Banqiao District, New Taipei City Taiwan +886 2 2259 1178 taiwan@idfl.com

Approved By www.idfl.com Client 2313 XS Sample 4 of 4



Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR)

IDFL # 20-305090

Zhejiang Samsung Down Co., Ltd Fri 27 March 2020

Test Orders Summary

Test	Test Component	Result	Expected Val
Content (Modified for Canada Evaluation) IDFB Part 3 2013	Down Clusters	83.2%	60.0%
Species Down & Feathers IDFB Part 12 2013	Total Goose	0%	
Species Down & realiters IDFB Fail 12 2013	Total Duck	100%	
Color Separation IDFB Part 16 2013	Dark Percentage	0.31%	
Steam Fill Power IDFB Part 10-B 2015	Final Fill Power Volume	700 in ³ /30g	700 in³/30g
Oxygen IDFB Part 7 2013	Oxygen	1.6 mg/100g	
Turbidity IDFB Part 11 2013	Turbidity Glass Tube	1000 mm	
Fat and Oil IDFB Part 4 2013	Fat and Oil	1.2%	
Moisture IDFB Part 5 2013	Moisture Content	7.9%	
Odor IDFL 30 2018	Actual Lab Test	4	

¹ CNAS Accredited

² CMA Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE IDFL SALT LAKE IDFL EUROPE AG

IDFL SALT LAKE 1455 South 1100 East Salt Lake City, UT 84105 USA +1 801 467 7611 info@idfl.com

Zürcherstrasse 282 CH-8500 Frauenfeld Switzerland +41 52 765 1574 europe@idfl.com IDFL CHINA Tonghui Mid-Road 688, Xiaoshan Hangzhou Zhejiang 311200 China +86 571 8273 6561 china@idfl.com IDFL TAIPEI 2F., No. 163 Sec. 2, Wenhua Rd. Banqiao District, New Taipei City Taiwan +886 2 2259 1178 taiwan@idfl.com



Page 2 of 6



Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR)

IDFL # 20-305090

Zhejiang Samsung Down Co., Ltd Fri 27 March 2020

Content (Modified for Canada Evaluation) IDFB Part 3 2013

Down Clusters	83.2%	
Down Fibers	3.2%	
Waterfowl Feather Fibers	2.6%	
Waterfowl Feathers	10.3%	
Waterfowl Feathers > 6 cm	0.0%	
Broken and Damaged Waterfowl Feathers	0.1%	
Quill	0.2%	
Landfowl	0.2%	
Residue	0.2%	
Total	100.0%	
nult/a) Used for Evaluation		
sult(s) Used for Evaluation Waterfowl Feather Fibers and Down Fibers Waterfowl Feather Fibers (2.6%) + Down Fibers (3.2%)	5.8%	
Waterfowl Feather Fibers and Down Fibers Waterfowl Feather Fibers (2.6%)	5.8% 99.4%	

Species Down & Feathers IDFB Part 12 2013^{1, 2}

Goose Down	0%	
Duck Down	100%	
Goose Feathers	0%	
Duck Feathers	100%	
Total Goose	0%	
Total Duck	100%	

¹ CNAS Accredited

² CMA Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE 1455 South 1100 East Salt Lake City, UT 84105 USA +1 801 467 7611 info@idfl.com

IDFL EUROPE AG Zürcherstrasse 282 CH-8500 Frauenfeld Switzerland +41 52 765 1574 europe@idfl.com IDFL CHINA Tonghui Mid-Road 688, Xiaoshan Hangzhou Zhejiang 311200 China +86 571 8273 6561 china@idfl.com IDFL TAIPEI 2F., No. 163 Sec. 2, Wenhua Rd. Banqiao District, New Taipei City Taiwan +886 2 2259 1178 taiwan@idfl.com

Approved By www.idfl.com Client 2313 XS Sample 4 of 4

Page 3 of 6



Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR)

IDFL # 20-305090

Zhejiang Samsung Down Co., Ltd Fri 27 March 2020

Color Separation IDFB Part 16 2013 ^{1, 2}				
White Percentage	99.69%			
Dark Percentage	0.31%			
Total	100.00%			

Steam Fill Power IDFB Part 10-B 2015^{1, 2}

Volume 700 in³/30g

Oxygen IDFB Part 7 2013^{1, 2}

Oxygen 1.6 mg/100g

Turbidity IDFB Part 11 2013 ^{1, 2}				
Turbidity Glass Tube 1000 mm				
Turbidity NTU 0.60 NTU				

Fat and Oil IDFB Part 4 2013	
Fat and Oil 1.2%	

¹ CNAS Accredited

² CMA Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKEIDFL EUROPE AG1455 South 1100 EastZürcherstrasse 282Salt Lake City, UT 84105CH-8500 FrauenfeldUSASwitzerland+1 801 467 7611+41 52 765 1574info@idfl.comeurope@idfl.com

IDFL CHINA Tonghui Mid-Road 688, Xiaoshan Hangzhou Zhejiang 311200 China +86 571 8273 6561 china@idfl.com IDFL TAIPEI 2F., No. 163 Sec. 2, Wenhua Rd. Banqiao District, New Taipei City Taiwan +886 2 2259 1178 taiwan@idfl.com

Approved By www.idfl.com Client 2313 XS Sample 4 of 4

Page 4 of 6



Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR)

IDFL # 20-305090

Zhejiang Samsung Down Co., Ltd Fri 27 March 2020

Moisture IDFB Part 5 2013^{1, 2}

Moisture Content 7.9%

¹ CNAS Accredited

² CMA Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE 1455 South 1100 East Salt Lake City, UT 84105 USA +1 801 467 7611 info@idfl.com IDFL EUROPE AG Zürcherstrasse 282 CH-8500 Frauenfeld Switzerland +41 52 765 1574 europe@idfl.com IDFL CHINA Tonghui Mid-Road 688, Xiaoshan Hangzhou Zhejiang 311200 China +86 571 8273 6561 china@idfl.com IDFL TAIPEI 2F., No. 163 Sec. 2, Wenhua Rd. Banqiao District, New Taipei City Taiwan +886 2 2259 1178 taiwan@idfl.com Approved By www.idfl.com Client 2313 XS Sample 4 of 4

Page 5 of 6



Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR)

IDFL # 20-305090

Zhejiang Samsung Down Co., Ltd Fri 27 March 2020

Odor IDFL 30 2018

CHECK-IN	
1. ODOR UPON ARRIVAL : Odor upon opening of shipping box	Normal
2. INITIAL ODOR of SAMPLE : Odor of sample after removal from shipping box and any packaging material (such as plastic, etc.)	Normal
3. LATER ODOR of SAMPLE : (24 hours after removal from packaging)	N/A
4. ODOR of PACKAGING : (Any odor that might exist in packaging)	Normal
OPENING ROOM	
5. INITIAL ODOR - FILL MATERIAL : Odor of fill material immediately after cutting open samples	Normal
6. LATER ODOR - FILL MATERIAL : Odor after leaving fill material in a screened box for 24 hours	N/A
LAB TEST	
7. ACTUAL LAB TEST : (1-5 'Nose' Lab Test)	4
8. OTHER COMMENTS :	N/A
9. CONCLUSION :	N/A
Rating Scale	
1 Very Bad	

¹ CNAS Accredited

2

3

4

5

Bad/Strange

Normal Odor

Borderline

Above

² CMA Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE IDFL SALT LAKE IDFL EUROPE AG IDFL CHINA

IDFL SALT LAKE 1455 South 1100 East Salt Lake City, UT 84105 USA +1 801 467 7611 info@idfl.com

Zürcherstrasse 282 CH-8500 Frauenfeld Switzerland +41 52 765 1574 europe@idfl.com IDFL CHINA Tonghui Mid-Road 688, Xiaoshan Hangzhou Zhejiang 311200 China +86 571 8273 6561 china@idfl.com IDFL TAIPEI 2F., No. 163 Sec. 2, Wenhua Rd. Banqiao District, New Taipei City Taiwan +886 2 2259 1178 taiwan@idfl.com

Approved By www.idfl.com Client 2313 XS Sample 4 of 4

Page 6 of 6



DWR Test Report



Sample Info – Treated

IDFL #: 20-305090 Sample ID: Sample ID-Treated Meterial SM315S 80% Washed White Duck Down(Texcote Nano DWR), **BRAND NAME: RUDSAK** STYLE NO:COSTCO 4120500/4120501/4120502/4120503

27-Mar-2020 Date:

Expected	d Results	Test Results		
Content:	80.0%	Content:	83.2%	
Species:	Duck	Species:	Duck	
Fill Power:	700in ³ /30g	Fill Power:	700in ³ /30g	
Fat & Oil		Fat & Oil		

Will

IDFL LABORATORY AND INSTITUTE Member: AATCC • ADFC • ASTM • CFDIA • DAC • EDFA • IABFLO • TFEA

Certified Laboratory: IDFB • EDFA

IDFL

1455 South 1100 East Salt Lake City, UTAH 84105 USA Tel: +1 8001 467 7611 Fax: +1 801 467 7711 info@idfl.com

IDFL EUROPE Zürcherstrasse 282 8500 Frauenfeld SWITZERLAND Tel: +41 52 765 1574 Fax: +41 52 770 1574 europe@idfl.com

IDFL CHINA

Tonghui Mid-Road 118, Xiaoshan Hangzhou, Zhejiang 311208 CHINA Tel: +86 571 8273 6561 Fax: +86 571 8389 9179 china@idfl.com

IDFL TAIPEI

3F/4F. No. 163, Sec. 2 , Wenua Rd. Banqiao, New Taipei City 22047 TAIWAN Tel: +886 2 2259 1178 3/27/2020 Fax: +886 2 2252 0738 Page 1 of 3 taiwan@idfl.com

www.idfl.com




DWR Test Report

Approved By:

IDFB 18-A

Hydrophobic Shake Test Measurement Interval - 2 Minutes



Treated material remains at rating 5 after: 60 minutes

IDFL LABORATORY AND INSTITUTE

Certified Laboratory: IDFB • EDFA Member: AATCC • ADFC • ASTM • CFDIA • DAC • EDFA • IABFLO • TFEA

IDFL

1455 South 1100 East Salt Lake City, UTAH 84105 USA Tel: +1 8001 467 7611 Fax: +1 801 467 7711 info@idfl.com IDFL EUROPE Zürcherstrasse 282 8500 Frauenfeld SWITZERLAND Tel: +41 52 765 1574 Fax: +41 52 770 1574 europe@idfl.com

IDFL CHINA

Tonghui Mid-Road 118, Xiaoshan Hangzhou, Zhejiang 311208 CHINA Tel: +86 571 8273 6561 Fax: +86 571 8389 9179 china@idfl.com

IDFL TAIPEI


3F/4F. No. 163, Sec. 2 , Wenua Rd. Banqiao, New Taipei City 22047 TAIWAN Tel: +886 2 2259 1178 Fax: +886 2 2252 0738 taiwan@idfl.com 3/27/2020

www.idfl.com




DWR Test Report

IDFB 18-A (Picture References) Hydrophobic Shake Test Measured Time Interval – 2 Minutes



Rating: 5 IDFB 18-A Hydrophobic Shake Test Measured Time Interval – 2 Minutes



Rating: 5



Rating: 5



Rating: 5

IDFL LABORATORY AND INSTITUTE

Certified Laboratory: IDFB • EDFA Member: AATCC • ADFC • ASTM • CFDIA • DAC • EDFA • IABFLO • TFEA

IDFL

1455 South 1100 East Salt Lake City, UTAH 84105 USA Tel: +1 8001 467 7611 Fax: +1 801 467 7711 info@idfl.com IDFL EUROPE Zürcherstrasse 282 8500 Frauenfeld SWITZERLAND Tel: +41 52 765 1574 Fax: +41 52 770 1574 europe@idfl.com

IDFL CHINA

Tonghui Mid-Road 118, Xiaoshan Hangzhou, Zhejiang 311208 CHINA Tel: +86 571 8273 6561 Fax: +86 571 8389 9179 china@idfl.com

IDFL TAIPEI

 3F/4F. No. 163, Sec. 2 , Wenua Rd.

 Banqiao, New Taipei City 22047 TAIWAN

 Tel: +886 2 2259 1178

 Fax: +886 2 2252 0738

 taiwan@idfl.com

 Page 3 of 3

www.idfl.com