



COSTCO WHOLESALE
COMPLIANCE, QUALITY and
PERFORMANCE TEST
PROTOCOL SL-2307
SOFTLINES APPAREL

IDFL #: 21-330838

Date: 31-Mar-2021

EVALUATION REPORT - Market: Canada

DOWN AND FEATHER TESTING					
Test Property	Test Method	<i>Based on expected Down label:</i> 80%		Results	Rating
Content Analysis	IDFB 3	Down Cluster	<i>Min</i> 60.0%	80.5%	Pass
		Down Fibre		4.0%	
		Feather Fibre		3.3%	
		Total Fibre	<i>Max</i> 36.0%	7.3%	Pass
		Waterfowl Feathers ≤ 60 mm	<i>Max</i> 40.0%	11.7%	Pass
		Waterfowl Feathers > 60 mm	<i>Max</i> 20.0%	0.0%	Pass
		Broken / Damaged Feathers		0.2%	
		Quill		0.0%	
		Landfowl Residue		0.2%	
		Landfowl and Residue	<i>Max</i> 5.0%	0.1%	Pass
TOTAL				100.0%	
Species Identification	IDFB 12	Goose Down		0%	
		Duck Down		100%	
		Goose Feathers		0%	
		Duck Feathers		100%	
TOTAL GOOSE		<i>Claim: DUCK</i>	<i>Min 90% Duck</i>	0%	Pass
TOTAL DUCK				100%	
Color White	IDFB 16	<i>Claim: white</i>	<i>Max Dark</i> 1.0%	0.40%	Pass
Fill Power	IDFB 10B	(in ³ / 30g)	<i>Max -5% of 700</i>	700	Pass
Turbidity	IDFB 11	(Others, JP, TW, KOR, AUS)	<i>Min</i> 500	1000	Pass
Oxygen Number	IDFB 7	(Others, TW, KOR, AUS)	<i>Min</i> 4.8	1.6	Pass
Penetration resistance of cloth-Tumbling method	IDFL 20-1 (Fabric) IDFL 20-2 (Bedding) IDFL 20-3 (Garments) IDFL 20-4 (Channeled Fabric)	Before Laundering	<i>Min</i> 4	N/A	N/A
		After 1x Laundering	<i>Min</i> 4	N/A	N/A
Net Fill Weight	IDFB 17	<i>Expected Fill Weight (g)</i> N/A	<i>Min</i> N/A	N/A	N/A
IDFL Labeling Suggestion for Canadian Market:		80% white duck down 20% white duck feathers			

Comments:

Approved by

IDFL LABORATORY AND INSTITUTE

www.idfl.com

Certified Laboratory: IDFB • EDFA Associations: AATCC • ADFC • ASTM • CFDA • DAC • EDFA • IABFLO • TFEA

IDFL USA
1455 South 1100 East
Salt Lake City, UT 84105 USA
Tel: +1 801 467 7611
info@idfl.com

IDFL EUROPE
Zürcherstrasse 282
8500 Frauenfeld SWITZERLAND
Tel: +41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Jinlu Yinzuo
Building 1 Floor 5 Hangzhou, Zhejiang 311208 CHINA
Tel: +86 571 8273 6561
china@idfl.com

IDFL TAIWAN
3F/4F., No. 163, Sec. 2, Wenhua Rd.
Banqiao, New Taipei City 22047 TAIWAN
Tel: +886 2 2259 1178
taiwan@idfl.com

Michael Mao
Zhejiang Samsung Down Co., Ltd
No.288, Xiaoshao East Road,
Xintang Street, Xiaoshan District,
Hangzhou, Zhejiang 311201
China

michael@samsungdown.com
cyrel@samsungdown.com

Normal (8-10 Days)
Arrival Date: Mon 22 March 2021
Testing Dates: From Mon 22 March
2021
to Wed 31 March 2021
Report Date: Wed 31 March 2021

Sample Type: Plumage
Shipped By: SF 1108520867705
Sample Identification: Sample ID-Treated Material
SM315S 80% Washed White Duck Down (Texcote Nano DWR),
BRAND NAME:RUDSAK
STYLE NO.: COSTCO 4121500 / 4121512 / 4121506 / 4121503 / 4120503 / 4121502



¹ CNAS Accredited

² CMA Accredited

Tested according to IDFB 2020

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

IDFL VIETNAM
No. 8, B4 Street An Loi Dong Ward
District 2, Ho Chi Minh City
Vietnam
+84 282-244-7611
vietnam@idfl.com

Approved By

www.idfl.com
Client 2313
XS
Sample 4 of 6



Test Report

Sample ID-Treated Material SM315S
80% Washed White Duck Down (Texcote
Nano DWR)

IDFL # 21-330838

Zhejiang Samsung Down Co., Ltd
Wed 31 March 2021

Test Orders Summary

Test	Test Component	Result	Expected Value
Content IDFB Part 3 2013 (Modified for Canada)	Down Clusters	80.5%	60.0%
Species Down & Feathers IDFB Part 12 2020	Total Goose	0%	
	Total Duck	100%	
Color Separation IDFB Part 16 2013	Dark Percentage	0.40%	
Steam Fill Power IDFB Part 10-B 2020	Final Fill Power Volume	700 in ³ /30g	700 in ³ /30g
Oxygen IDFB Part 7 2013	Oxygen	1.6 mg/100g	
Turbidity IDFB Part 11 2013	Turbidity Glass Tube	1000 mm	
Fat and Oil IDFB Part 4 2013	Fat and Oil	0.6%	
Odor IDFL 30 2018	Actual Lab Test	4	

¹ CNAS Accredited

² CMA Accredited

Tested according to IDFB 2020

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

IDFL VIETNAM
No. 8, B4 Street An Loi Dong Ward
District 2, Ho Chi Minh City
Vietnam
+84 282-244-7611
vietnam@idfl.com

Approved By

www.idfl.com
Client 2313
XS
Sample 4 of 6



Test Report

Sample ID-Treated Material SM315S
80% Washed White Duck Down (Texcote
Nano DWR)

IDFL # 21-330838

Zhejiang Samsung Down Co., Ltd
Wed 31 March 2021

Content IDFB Part 3 2013 (Modified for Canada)

Down Clusters	80.5%
Down Fibers	4.0%
Waterfowl Feather Fibers	3.3%
Waterfowl Feathers	11.7%
Waterfowl Feathers > 6 cm	0.0%
Broken and Damaged Waterfowl Feathers	0.2%
Quill	0.0%
Landfowl	0.2%
Residue	0.1%
Total	100.0%

Result(s) Used for Evaluation

Waterfowl Feather Fibers and Down Fibers	7.3%
Waterfowl Feather Fibers (3.3%) + Down Fibers (4.0%)	
Waterfowl Feathers & Fibers and Down Clusters & Fibers	99.7%
Waterfowl Feathers (11.7%) + Waterfowl Feathers > 6 cm (0.0%) + Broken and Damaged Waterfowl Feathers (0.2%) + Waterfowl Feather Fibers (3.3%) + Down Clusters (80.5%) + Down Fibers (4.0%)	
Residue and Landfowl	0.3%
Residue (0.1%) + Landfowl (0.2%)	

Species Down & Feathers IDFB Part 12 2020¹

Goose Down	0%
Duck Down	100%
Goose Feathers	0%
Duck Feathers	100%
Total Goose	0%
Total Duck	100%

Color Separation IDFB Part 16 2013^{2, 1}

White Percentage	99.60%
Dark Percentage	0.40%
Total	100.00%

Steam Fill Power IDFB Part 10-B 2020¹

Volume	700 in ³ /30g
--------	--------------------------

Oxygen IDFB Part 7 2013^{2, 1}

Oxygen	1.6 mg/100g
--------	-------------

¹ CNAS Accredited

² CMA Accredited

Tested according to IDFB 2020

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

IDFL VIETNAM
No. 8, B4 Street An Loi Dong Ward
District 2, Ho Chi Minh City
Vietnam
+84 282-244-7611
vietnam@idfl.com

Approved By

www.idfl.com
Client 2313
XS
Sample 4 of 6



Test Report

Sample ID-Treated Material SM315S
80% Washed White Duck Down (Texcote
Nano DWR)

IDFL # 21-330838

Zhejiang Samsung Down Co., Ltd
Wed 31 March 2021

Turbidity IDFB Part 11 2013^{2, 1}

Turbidity Glass Tube **1000 mm**

Turbidity NTU **0.19 NTU**

Fat and Oil IDFB Part 4 2013

Fat and Oil **0.6%**

Tested by the following locations:

CIQ - Down & Feather Testing Lab Xiaoshan Zhejiang Imp. & Exp. Comm Insp

Odor IDFL 30 2018

CHECK-IN

1. ODOR UPON ARRIVAL : Odor upon opening of shipping box	Normal
2. INITIAL ODOR of SAMPLE : Odor of sample after removal from shipping box and any packaging material (such as plastic, etc.)	Normal
3. LATER ODOR of SAMPLE : (24 hours after removal from packaging)	N/A
4. ODOR of PACKAGING : (Any odor that might exist in packaging)	Normal

OPENING ROOM

5. INITIAL ODOR - FILL MATERIAL : Odor of fill material immediately after cutting open samples	Normal
6. LATER ODOR - FILL MATERIAL : Odor after leaving fill material in a screened box for 24 hours	N/A

LAB TEST

7. ACTUAL LAB TEST : (1-5 'Nose' Lab Test)	4
8. OTHER COMMENTS :	N/A
9. CONCLUSION :	N/A

Rating Scale

1	Very Bad
2	Bad/Strange
3	Borderline
4	Normal Odor
5	Above

¹ CNAS Accredited

² CMA Accredited

Tested according to IDFB 2020

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

IDFL VIETNAM
No. 8, B4 Street An Loi Dong Ward
District 2, Ho Chi Minh City
Vietnam
+84 282-244-7611
vietnam@idfl.com

Approved By

www.idfl.com

Client 2313

XS

Sample 4 of 6



DWR Test Report

Zhejiang Samsung Down Co., Ltd
Michael Mao
michael@samsungdown.com



Sample Info – Treated

IDFL #: 21-330838

Sample ID-Treated Material
SM315S 80% Washed White Duck Down (Texcote Nano
DWR),
Sample ID: BRAND NAME:RUDSAK
STYLE NO.: COSTCO 4121500 / 4121512 / 4121506 /
4121503 / 4120503 / 4121502

Date: 31-Mar-2021

Approved By:

IDFL LABORATORY AND INSTITUTE

www.idfl.com

Certified Laboratory: IDFB • EDFA Member: AATCC • ADFC • ASTM • CFDA • DAC • EDFA • IABFLO • TFEA

IDFL
1455 South 1100 East
Salt Lake City, UTAH 84105 USA
Tel: +1 8001 467 7611
Fax: +1 801 467 7711
info@idfl.com

IDFL EUROPE
Zürcherstrasse 282
8500 Frauenfeld SWITZERLAND
Tel: +41 52 765 1574
Fax: +41 52 770 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 118, Xiaoshan
Hangzhou, Zhejiang 311208 CHINA
Tel: +86 571 8273 6561
Fax: +86 571 8389 9179
china@idfl.com

IDFL TAIPEI
3F/4F. No. 163, Sec. 2, Wenua Rd.
Banqiao, New Taipei City 22047 TAIWAN
Tel: +886 2 2259 1178
Fax: +886 2 2252 0738
taiwan@idfl.com

2021/3/31
Page 1 of 3




DWR Test Report

Zhejiang Samsung Down Co., Ltd
Michael Mao
michael@samsungdown.com

IDFB 18-A

Hydrophobic Shake Test
Measurement Interval - 2 Minutes



5 Down Completely Above Water
1 Down Completely Under Water

Minutes	T 1.1	T 1.2
2	5	5
4	5	5
6	5	5
8	5	5
10	5	5
12	5	5
14	5	5
16	5	5
18	5	5
20	5	5
26	5	5
30	5	5
40	5	5
50	5	5
60	5	5

Treated material remains at a rating of 5 after an average of: 60 minutes



IDFB 18-A (Picture References)
Hydrophobic Shake Test
Measured Time Interval – 2 Minutes



Rating 5




Rating 5

IDFB 18-A
Hydrophobic Shake Test
Measured Time Interval – 2 Minutes



Rating 5



Rating 5